



**NSF International**

789 N. Dixboro Rd. Ann Arbor, MI 48015, USA  
1-800.NSF.MARK | +1-734.769.8010 | www.nsf.org

# TEST REPORT

**Send To: C0150055**

Dr. Mohammed Zubair Khan  
Bela Power Pvt. Ltd.  
No. 7A, Street 90  
Sector G-6/3  
Islamabad 44000  
Pakistan

**Facility: C0150056**

Rana Dheri  
Rana Dheri, Village Zaida  
District Swabi, KPK Province  
Pakistan

**Result PASS**

Report Date 19-DEC-2017

Customer Name Bela Power Pvt. Ltd.

Tested To EU Directive 2009/54/EC

Description C1 Naturally Pure | Natural Mineral Water

Test Type Annual Collection

Job Number A-00246180

Project Number 10043025 (CLAA, MLAA)

Project Manager Caroline Misson

DISCLAIMER:  
THIS IS A DIGITAL COPY ONLY AND  
CANNOT BE USED FOR ANY LEGAL  
PURPOSES.

**Thank you for having your product tested by NSF International.**

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

**Report Authorization** *Kerri L. LeVanseler*

**Date** 19-DEC-2017

Kerri Levanseler - Director, Chemistry Laboratory



General Information

Standard: EU Directive 2009/54/EC
Lot Number: 2017 1010 1100
Product Description: O1 Naturally Pure | Natural Mineral Water

Sample Id: S-0001434794
Description: O1 Naturally Pure | Natural Mineral Water - 2017 1010 1100
Sampled Date: 11/09/2017
Received Date: 11/09/2017

Table with 5 columns: Testing Parameter, Result, Units, MCL, P / F. Rows include Chemistry Lab parameters such as Uranium, Bivalent Iron, Chemical Parameters (Appearance, Odor, Taste, Color, pH, Conductivity, etc.), and various mineral content measurements.

DISCLAIMER: THIS IS A DIGITAL COPY ONLY AND CANNOT BE USED FOR ANY LEGAL PURPOSES



Sample Id: S-0001434794

Testing Parameter	Result	Units	MCL	P / F
<b>Chemistry Lab ( Continued )</b>				
Mercury (inorganic)	ND(0.2)	ug/L	1	Pass
Lithium	13	ug/L		
Manganese	ND(5)	ug/L	500	Pass
Nickel	ND(10)	ug/L	20	Pass
Lead (note 2)	ND(5)	ug/L	10	Pass
Selenium	ND(5)	ug/L	10	Pass
Oil and fat	Not detected			
Cyanide	ND(10)	ug/L	70	Pass
Phenols (phenol index)	ND(1)	ug/L		
Hydrogen sulfide	ND(0.02)	mg/L		
Anionic surfactants	ND(40)	ug/L		
# Diphenyl chlorides (PCB's) (Directive 98/83/EC)				
PCB-101	ND(0.02)	ug/L		
PCB-118	ND(0.02)	ug/L		
PCB-138	ND(0.02)	ug/L		
PCB-153	ND(0.02)	ug/L		
PCB-180	ND(0.02)	ug/L		
PCB-28	ND(0.02)	ug/L		
PCB-52	ND(0.02)	ug/L		
# Organochlorine pesticides (Directive 98/83/EC)				
Aldrin	ND(0.01)	ug/L	0.03	Pass
a-BHC ( a-HCH )	ND(0.01)	ug/L	0.1	Pass
B-BHC ( B-HCH )	ND(0.01)	ug/L	0.1	Pass
g-BHC ( Lindane )	ND(0.01)	ug/L	0.1	Pass
delta-BHC ( d-HCH )	ND(0.01)	ug/L	0.1	Pass
4,4'-DDD	ND(0.01)	ug/L	0.1	Pass
4,4'-DDE	ND(0.01)	ug/L	0.1	Pass
4,4'-DDT	ND(0.01)	ug/L	0.1	Pass
Dieldrin	ND(0.01)	ug/L	0.03	Pass
Endosulfan I	ND(0.01)	ug/L	0.1	Pass
Endosulfan II	ND(0.01)	ug/L	0.1	Pass
Endosulfan Sulfate	ND(0.01)	ug/L	0.1	Pass
Endrin	ND(0.01)	ug/L	0.1	Pass
Heptachlor	ND(0.01)	ug/L	0.03	Pass
Heptachlor epoxide	ND(0.01)	ug/L	0.03	Pass
Methoxychlor	ND(0.01)	ug/L	0.1	Pass
Chlorobenzilate	ND(0.01)	ug/L	0.1	Pass
Chlorpyrifos	ND(0.01)	ug/L	0.1	Pass
DCPA	ND(0.01)	ug/L	0.1	Pass
Hexachlorobenzene	ND(0.01)	ug/L	0.1	Pass
cis-Permethrin	ND(0.01)	ug/L	0.1	Pass
trans-Permethrin	ND(0.01)	ug/L	0.1	Pass
Trifluralin	ND(0.01)	ug/L	0.1	Pass
# Organophosphorus pesticides (Directive 98/83/EC)				
Diazinon	ND(0.05)	ug/L	0.1	Pass
Disulphoton	ND(0.05)	ug/L	0.1	Pass
Ethoprophos ( Ethoprop )	ND(0.05)	ug/L	0.1	Pass
Fenthion	ND(0.05)	ug/L	0.1	Pass
Methyl parathion	ND(0.05)	ug/L	0.1	Pass
Phorate	ND(0.05)	ug/L	0.1	Pass
Ronnel (Fenchlorphos)	ND(0.05)	ug/L	0.1	Pass
Trichloronate	ND(0.05)	ug/L	0.1	Pass
Tokuthion	ND(0.05)	ug/L	0.1	Pass
# Polycyclic Aromatic hydrocarbons (Directive 98/83/EC)				
Benzo(a)Pyrene (PAH)	ND(0.01)	ug/L	0.01	Pass
Benzo(b)fluoranthene	ND(0.01)	ug/L		
Benzo(k)fluoranthene	ND(0.02)	ug/L		

DISCLAIMER  
THIS IS A DIGITAL COPY ONLY AND  
CANNOT BE USED FOR ANY LEGAL  
PURPOSES



Sample Id: S-0001434794

Testing Parameter	Result	Units	MCL	P / F
<b>Chemistry Lab ( Continued )</b>				
Benzo(ghi)perylene	ND(0.02)	ug/L		
Indene(1,2,3-cd)pyrene	ND(0.02)	ug/L		
Acenaphthene	ND(0.01)	ug/L		
Acenaphthylene	ND(0.01)	ug/L		
Anthracene	ND(0.01)	ug/L		
Benzo(a)anthracene	ND(0.02)	ug/L		
Chrysene	ND(0.02)	ug/L		
Dibenzo(a,h)anthracene	ND(0.02)	ug/L		
Phenanthrene	ND(0.01)	ug/L		
Fluorene	ND(0.01)	ug/L		
Fluoranthrene	ND(0.01)	ug/L		
Naphthalene	ND(0.02)	ug/L		
Pyrene	ND(0.01)	ug/L		
Total Polycyclic Aromatic Hydrocarbons	ND(0.1)	ug/L	0.1	Pass
# Triazines (Directive 98/83/EC)				
Atrazine	ND(0.01)	ug/L		
Atrazine-desethyl	ND(0.05)	ug/L		
Prometryn	ND(0.01)	ug/L		
Propazine	ND(0.01)	ug/L		
Simazine	ND(0.03)	ug/L		
Terbutryn	ND(0.01)	ug/L		
Terbutylazine	ND(0.01)	ug/L		
Total Pesticides	ND(0.5)	ug/L		
# Volatile Organic Compounds				
Benzene	ND(0.5)	ug/L		Pass
Toluene	ND(1.0)	ug/L		
Ethylbenzene	ND(1)	ug/L		
m,p-Xylenes	ND(2)	ug/L		
o-Xylene	ND(1)	ug/L		
Trichlorofluoromethane	ND(2)	ug/L		
1,1-Dichloroethene	ND(2)	ug/L		
Dichloromethane	ND(2)	ug/L		
t-1,2-Dichloroethene	ND(2)	ug/L		
1,1-Dichloroethane	ND(1)	ug/L		
c-1,2-Dichloroethene	ND(2)	ug/L		
Chloroform(Trichloromethane)	ND(5)	ug/L		
Trichloroethane (1,1,1-)	ND(2)	ug/L		
Tetrachloromethane	ND(2)	ug/L		
Dichloroethane (1,2-)	ND(0.5)	ug/L	3	Pass
Trichloroethene	ND(1)	ug/L		
Dichloropropane (1,2-)	ND(2)	ug/L		
Bromodichloromethane (See THM)	ND(1)	ug/L		
c-1,3-Dichloropropene	ND(2)	ug/L		
t-1,3-Dichloropropene	ND(2)	ug/L		
Trichloroethane (1,1,2-)	ND(2)	ug/L		
Tetrachloroethylene (PCE)	ND(1)	ug/L		
Chlorodibromomethane (See THM)	ND(1)	ug/L		
Chlorobenzene (mono)	ND(2)	ug/L		
Bromoform (Tribromomethane)	ND(1)	ug/L		
1,3-Dichlorobenzene	ND(2)	ug/L		
1,4-Dichlorobenzene	ND(2)	ug/L		
1,2-Dichlorobenzene	ND(2)	ug/L		
1,3,5-Trichlorobenzene	ND(2)	ug/L		
Trichlorobenzene (1,2,4-)	ND(2)	ug/L		
Hexachlorobutadiene	ND(2)	ug/L		
1,2,3-Trichlorobenzene	ND(2)	ug/L		
THM (Total trihalomethanes) (l) See Sheet	ND(4)	ug/L	100	Pass

DISCLAIMER:  
THIS IS A DIGITAL COPY ONLY AND  
CANNOT BE USED FOR ANY LEGAL  
PURPOSES.





Sample Id: S-0001434794

Testing Parameter	Result	Units	MCL	P / F
<b>Chemistry Lab ( Continued )</b>				
Tetrachloroethene + Trichloroethene	ND(2)	ug/L		
C6 to C10	ND(5)	ug/L		
C11 to C35	ND(0.01)	ug/L		
<b>Microbiology Lab</b>				
Microbiological Parameters (Directive 2009/54/CE)				
Colony count at 22°C/72 H	1500	cfu/mL		
Colony count at 37°C/24H	720	cfu/mL		
Total Coliform bacteria	0	cfu/250 mL	0	Pass
Escherichia coli	0	cfu/250 mL	0	Pass
Enterococci	0	cfu/250 mL	0	Pass
Spores of sulfite-reducing (Clostridia)	0	cfu/50 mL	0	Pass
Pseudomonas aeruginosa	0	cfu/250 mL	0	Pass
Note: [ M0258/1 ]				
After bottling, the total colony count at source may not exceed 100 per millilitre at 20 to 22C in 72 hours on agar-agar or an agar-gelatine mixture and 20 per millilitre at 37C in 24 hours on agar-agar. The total colony count shall be measured within the 12 hours following bottling, the water being maintained at 4C +/- 1C during this 12 hour period. The revivable total colony count of a natural mineral water may only be that resulting from the normal increase in the bacterial count which it had at source. (Directive 2009/54/CE)				

**DISCLAIMER:**  
**THIS IS A DIGITAL COPY ONLY AND**  
**CANNOT BE USED FOR ANY LEGAL**  
**PURPOSES.**

**Testing Laboratories:**

	<u>Flag</u>	<u>Id</u>	<u>Address</u>
All work performed at: (Unless otherwise specified)	→	LDOR	Laboratorio Dr. Oliver Rodés, S.A. Moreres, 21 - Polígono Estruc 08820 El Prat de Llobregat - Barcelona - Spain
	#	LDOR	Laboratorio Dr. Oliver Rodés, S.A. Moreres, 21 - Polígono Estruc 08820 El Prat de Llobregat - Barcelona - Spain

**References to Testing Procedures:**

<u>NSF Reference</u>	<u>Parameter / Test Description</u>
C0213	Chemical Parameters - LDOR
C0214	Organochlorine pesticides (Directive 98/83/EC)
C0215	Organophosphorus pesticides (Directive 98/83/EC)
C0216	Polycyclic Aromatic hydrocarbons (Directive 98/83/EC)
C0221	Volatile Organic Compounds
C0233	Diphenyl chlorides (PCB's) (Directive 98/83/EC)
C0235	Triazines (Directive 98/83/EC)
C1107	* Uranium (EU No. 10/2011)
C1151	Bivalent Iron - LDOR
M0258	Microbiological Parameters (Directive 2009/54/CE)

Definition of terms:  
Results ND(x.x)

ND = Not Detected

(x.x) = test method detection limit

**DISCLAIMER:**

**THIS IS A DIGITAL COPY ONLY AND  
CANNOT BE USED FOR ANY LEGAL  
PURPOSES.**



**Certifications:**

---

ISO/IEC 17025 Cert.251/LE510

ISO 9001:2000 Cert.CS/97/004

---

**Footnote**

Product not evaluated for Colony Count at 22°C and 37°C against the maximum SOQ indicated in Directive 2009/54/EC. The Company is responsible for compliance with applicable regulatory requirements applicable to conducting commerce.

DISCLAIMER:  
THIS IS A DIGITAL COPY ONLY AND  
CANNOT BE USED FOR ANY LEGAL  
PURPOSES.



**NSF International**

789 N. Dixboro Rd. Ann Arbor, MI 48015, USA  
1-800.NSF.MARK | +1-734.769.8010 | www.nsf.org

# TEST REPORT

**Send To: C0150055**

Dr. Mohammed Zubair Khan  
Bela Power Pvt. Ltd.  
No. 7A, Street 90  
Sector G-6/3  
Islamabad 44000  
Pakistan

**Facility: C0150056**

Rana Dheri  
Rana Dheri, Village Zaida  
District Swabi, KPK Province  
Pakistan

**Result PASS**

Report Date 08-SEP-2016

Customer Name Bela Power Pvt. Ltd.

Tested To EU Directive 2009/54/EC

Description C1 Naturally Pure | Natural Mineral Water

Test Type Annual Collection

Job Number A-00201563

Project Number 10017313 (CLAA, MLAA)

Project Manager Caroline Misson

DISCLAIMER:  
THIS IS A DIGITAL COPY ONLY AND  
CANNOT BE USED FOR ANY LEGAL  
PURPOSES.

**Thank you for having your product tested by NSF International.**

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

**Report Authorization**

*Kerri L. LeVanseler*

**Date**

08-SEP-2016

Kerri Levanseler - Director, Chemistry Laboratory



**General Information**

Standard: EU Directive 2009/54/EC  
Lot Number: 223015062016  
Product Description: Natural Mineral Water  
Trade Name: O1 Naturally Pure

Sample Id: **S-0001281477**  
Description: O1 Naturally Pure | Natural Mineral Water - 223015062016  
Sampled Date: 07/22/2016  
Received Date: 07/22/2016

Testing Parameter	Result	Units	MCL	P / F
<b>Chemistry Lab</b>				
# * Uranium (EU No. 10/2011)				
Uranium	10	ug/L		
# Bivalent Iron - LDOR				
Bivalent Iron	ND(10)	ug/L		
# Chemical Parameters - LDOR				
Appearance	Clear			
Odor	Acceptable			
Taste	Acceptable			
Color	ND(5)			
pH at 20°C	8.16	mg/L		
Conductivity at 20°C	520	uS/cm		
Turbidity	ND(0.2)	UNF		
Carbon Dioxide	9	mg/L		
Total dissolved solids at 180 C	350	mg/L		
Total dissolved solids at 260 C	340	mg/L		
Silica	32	mg SiO2/l		
Alkalinity (T.A.)	ND(1)	mg CaCO3/		
Alkalinity (T.A.C.)	240	mg CaCO3		
Total hardness	250	mg CaCO3		
Total hardness (F)	25	*F		
Suspended solids	Absent			
Permanganate Oxidisability	ND(0.5)	mg O2/L		
Total organic carbon (TOC)	ND(1)	mg/L		
Phosphate	ND(0.4)	mg/L		
Bicarbonate	290	mg/L		
Carbonate	ND(1.2)	mg/L		
Chloride	3.8	mg/L	250	Pass
Sulfate (P)	36	mg/L	250	Pass
Nitrate (as Nitrate)	32	mg/L	50	Pass
Bromide	ND(0.2)	mg/L		
Fluoride	ND(0.2)	mg/L	5	Pass
Nitrite (as Nitrite)	ND(0.02)	mg/L	0.1	Pass
Nitrate/50 + Nitrite/3	0.6	mg/L		
Calcium	57	mg/L		
Magnesium	25	mg/L		
Sodium	23	mg/L	200	Pass
Potassium	4.5	mg/L		
Ammonium	ND(0.1)	mg/L	0.5	Pass
Aluminum	ND(10)	ug/L	200	Pass
Antimony	ND(2)	ug/L	5	Pass
Arsenic (I)	ND(2)	ug/L	10	Pass
Barium	0.04	mg/L	1	Pass
Boron	0.06	mg/L		
Cadmium	ND(1)	ug/L	3	Pass
Chromium (Total)	ND(5)	ug/L	50	Pass
Copper	ND(0.01)	mg/L	1	Pass
Strontium	350	ug/L		

DISCLAIMER:  
THIS IS A DIGITAL COPY ONLY AND  
CANNOT BE USED FOR ANY LEGAL  
PURPOSES





Sample Id: S-0001281477

Testing Parameter	Result	Units	MCL	P / F
<b>Chemistry Lab ( Continued )</b>				
Iron	ND(10)	ug/L		
Mercury (inorganic)	ND(0.2)	ug/L	1	Pass
Lithium	15	ug/L		
Manganese	ND(5)	ug/L	500	Pass
Nickel	ND(10)	ug/L	20	Pass
Lead (note 2)	ND(5)	ug/L	10	Pass
Selenium	ND(5)	ug/L	10	Pass
Oil and fat	Not detected			
Cyanide	ND(10)	ug/L	70	Pass
Phenols (phenol index)	ND(1)	ug/L		
Hydrogen sulfide	ND(0.02)	mg/L		
Anionic surfactants	ND(40)	ug/L		
# Diphenyl chlorides (PCB's) (Directive 98/83/EC)				
PCB-101	ND(0.02)	ug/L		
PCB-118	ND(0.02)	ug/L		
PCB-138	ND(0.02)	ug/L		
PCB-153	ND(0.02)	ug/L		
PCB-180	ND(0.02)	ug/L		
PCB-28	ND(0.02)	ug/L		
PCB-52	ND(0.02)	ug/L		
# Organochlorine pesticides (Directive 98/83/EC)				
Aldrin	ND(0.01)	ug/L	0.03	Pass
a-BHC ( a-HCH )	ND(0.01)	ug/L	0.1	Pass
B-BHC ( B-HCH )	ND(0.01)	ug/L	0.1	Pass
g-BHC ( Lindane )	ND(0.01)	ug/L	0.1	Pass
delta-BHC ( d-HCH )	ND(0.01)	ug/L	0.1	Pass
4,4'-DDD	ND(0.01)	ug/L	0.1	Pass
4,4'-DDE	ND(0.01)	ug/L	0.1	Pass
4,4'-DDT	ND(0.01)	ug/L	0.1	Pass
Dieldrin	ND(0.01)	ug/L	0.03	Pass
Endosulfan I	ND(0.01)	ug/L	0.1	Pass
Endosulfan II	ND(0.01)	ug/L	0.1	Pass
Endosulfan Sulfate	ND(0.01)	ug/L	0.1	Pass
Endrin	ND(0.01)	ug/L	0.1	Pass
Heptachlor	ND(0.01)	ug/L	0.03	Pass
Heptachlor epoxide	ND(0.01)	ug/L	0.03	Pass
Methoxychlor	ND(0.01)	ug/L	0.1	Pass
Chlorobenzilate	ND(0.01)	ug/L	0.1	Pass
Chlorpyrifos	ND(0.01)	ug/L	0.1	Pass
DCPA	ND(0.01)	ug/L	0.1	Pass
Hexachlorobenzene	ND(0.01)	ug/L	0.1	Pass
cis-Permethrin	ND(0.01)	ug/L	0.1	Pass
trans-Permethrin	ND(0.01)	ug/L	0.1	Pass
Trifluralin	ND(0.01)	ug/L	0.1	Pass
# Organophosphorus pesticides (Directive 98/83/EC)				
Diazinon	ND(0.05)	ug/L	0.1	Pass
Disulphoton	ND(0.05)	ug/L	0.1	Pass
Ethoprophos ( Ethoprop )	ND(0.05)	ug/L	0.1	Pass
Fenthion	ND(0.05)	ug/L	0.1	Pass
Methyl parathion	ND(0.05)	ug/L	0.1	Pass
Phorate	ND(0.05)	ug/L	0.1	Pass
Ronnel (Fenchlorphos)	ND(0.05)	ug/L	0.1	Pass
Trichloronate	ND(0.05)	ug/L	0.1	Pass
Tokuthion	ND(0.05)	ug/L	0.1	Pass
# Polycyclic Aromatic hydrocarbons (Directive 98/83/EC)				
Benzo(a)Pyrene (PAH)	ND(0.01)	ug/L	0.01	Pass
Benzo(b)fluoranthene	ND(0.01)	ug/L		

DISCLAIMER  
THIS IS A DIGITAL COPY ONLY AND  
CANNOT BE USED FOR ANY LEGAL  
PURPOSES



Sample Id: S-0001281477

Testing Parameter	Result	Units	MCL	P / F
<b>Chemistry Lab ( Continued )</b>				
Benzo(k)fluoranthene	ND(0.02)	ug/L		
Benzo(ghi)perylene	ND(0.02)	ug/L		
Indene(1,2,3-cd)pyrene	ND(0.02)	ug/L		
Acenaphthene	ND(0.01)	ug/L		
Acenaphthylene	ND(0.01)	ug/L		
Anthracene	ND(0.01)	ug/L		
Benzo(a)anthracene	ND(0.02)	ug/L		
Chrysene	ND(0.02)	ug/L		
Dibenzo(a,h)anthracene	ND(0.02)	ug/L		
Phenanthrene	ND(0.01)	ug/L		
Fluorene	ND(0.01)	ug/L		
Fluoranthrene	ND(0.01)	ug/L		
Naphthalene	ND(0.02)	ug/L		
Pyrene	ND(0.01)	ug/L		
Total Polycyclic Aromatic Hydrocarbons	ND(0.1)	ug/L	0.1	Pass
# Triazines (Directive 98/83/EC)				
Atrazine	ND(0.01)	ug/L		
Atrazine-desethyl	ND(0.05)	ug/L		
Prometryn	ND(0.01)	ug/L		
Propazine	ND(0.01)	ug/L		
Simazine	ND(0.03)	ug/L		
Terbutryn	ND(0.01)	ug/L		
Terbutylazine	ND(0.01)	ug/L		
Total Pesticides	ND(0.5)	ug/L		
# Volatile Organic Compounds				
Benzene	ND(0.1)	ug/L		Pass
Toluene	ND(1.0)	ug/L		
Ethylbenzene	ND(1)	ug/L		
m,p-Xylenes	ND(2)	ug/L		
o-Xylene	ND(1)	ug/L		
Trichlorofluoromethane	ND(2)	ug/L		
1,1-Dichloroethene	ND(2)	ug/L		
Dichloromethane	ND(2)	ug/L		
t-1,2-Dichloroethene	ND(2)	ug/L		
1,1-Dichloroethane	ND(1)	ug/L		
c-1,2-Dichloroethene	ND(2)	ug/L		
Chloroform(Trichloromethane)	ND(5)	ug/L		
Trichloroethane (1,1,1-)	ND(2)	ug/L		
Tetrachloromethane	ND(1)	ug/L		
Dichloroethane (1,2-)	ND(0.5)	ug/L	3	Pass
Trichloroethene	ND(1)	ug/L		
Dichloropropane (1,2-)	ND(2)	ug/L		
Bromodichloromethane (See THM)	ND(1)	ug/L		
c-1,3-Dichloropropene	ND(2)	ug/L		
t-1,3-Dichloropropene	ND(2)	ug/L		
Trichloroethane (1,1,2-)	ND(2)	ug/L		
Tetrachloroethylene (PCE)	ND(1)	ug/L		
Chlorodibromomethane (See THM)	ND(1)	ug/L		
Chlorobenzene (mono)	ND(2)	ug/L		
Bromoform (Tribromomethane)	ND(1)	ug/L		
1,3-Dichlorobenzene	ND(2)	ug/L		
1,4-Dichlorobenzene	ND(2)	ug/L		
1,2-Dichlorobenzene	ND(2)	ug/L		
1,3,5-Trichlorobenzene	ND(2)	ug/L		
Trichlorobenzene (1,2,4-)	ND(2)	ug/L		
Hexachlorobutadiene	ND(2)	ug/L		
1,2,3-Trichlorobenzene	ND(2)	ug/L		

DISCLAIMER:  
THIS IS A DIGITAL COPY ONLY AND  
CANNOT BE USED FOR ANY LEGAL  
PURPOSES.



Sample Id: S-0001281477

Testing Parameter	Result	Units	MCL	P / F
<b>Chemistry Lab ( Continued )</b>				
THM (Total trihalomethanes) (l) See Sheet	ND(4)	ug/L	100	Pass
Tetrachloroethene + Trichloroethene	ND(2)	ug/L		
C6 to C10	ND(5)	ug/L		
C11 to C35	ND(0)	ug/L		
<b>Microbiology Lab</b>				
Microbiological Parameters (Directive 2009/54/CE)				
Colony count at 22°C/72 H	0	cfu/mL		
Colony count at 37°C/24H	>3000	cfu/mL		
Total Coliform bacteria	0	cfu/250 mL	0	Pass
Escherichia coli	0	cfu/250 mL	0	Pass
Enterococci	0	cfu/250 mL	0	Pass
Spores of sulfite-reducing (Clostridia)	0	cfu/50 mL	0	Pass
Pseudomonas aeruginosa	0	cfu/250 mL	0	Pass

**Sample Attachments** [ S-0001281477 ]:

Quantitative Chemical Composition - Ionic Balance			
Anions	Results	mEq/L	% mEq/L
	(mg/L)		
Bicarbonate (HCO3)	287	4.71	77.59
Carbonate (CO3)	<1.2	0.00	0.00
Sulfate (SO4)	35.7	0.74	12.19
Chloride (Cl)	3.8	0.11	1.81
Nitrate (NO3)	3.8	0.51	8.40
Fluoride (F)	<0.30	0.00	0.00
Bromide (Br)	<0.2	0.00	0.00
Nitrite (NO2)	<0.02	0.00	0.00
Total		6.07	100 +/- 0.03
Cations	Results	mEq/L	% mEq/L
	(mg/L)		
Calcium (Ca)	57.1	2.85	46.95
Magnesium (Mg)	25.2	2.07	34.11
Sodium (Na)	23.4	1.02	16.80
Potassium (K)	4.5	0.12	1.98
Strontium (Sr)	0.35	0.01	0.16
Lithium (Li)	0.02	0.00	0.00
Iron (Fe)	<0.10	0.00	0.00
Manganese (Mn)	<0.005	0.00	0.00
Ammonium (NH4)	<0.10	0.00	0.00
Total		6.07	100 +/- 0.03
Natural Mineral Water			

Natural Mineral Water

DISCLAIMER  
THIS IS A DIGITAL COPY ONLY AND  
CANNOT BE USED FOR ANY LEGAL  
PURPOSES

**Testing Laboratories:**

	Flag	Id	Address
All work performed at: (Unless otherwise specified)	→	LDOR	Laboratorio Dr. Oliver Rodés, S.A. Moreres, 21 - Polígono Estruc 08820 El Prat de Llobregat - Barcelona - Spain
	#	LDOR	Laboratorio Dr. Oliver Rodés, S.A. Moreres, 21 - Polígono Estruc 08820 El Prat de Llobregat - Barcelona - Spain

**References to Testing Procedures:**

NSF Reference	Parameter / Test Description
C0213	Chemical Parameters - LDOR
C0214	Organochlorine pesticides (Directive 98/83/EC)
C0215	Organophosphorus pesticides (Directive 98/83/EC)
C0216	Polycyclic Aromatic hydrocarbons (Directive 98/83/EC)
C0221	Volatile Organic Compounds
C0233	Diphenyl chlorides (PCB's) (Directive 98/83/EC)
C0235	Triazines (Directive 98/83/EC)
C1107	* Uranium (EU No. 10/2011)
C1151	Bivalent Iron - LDOR
M0258	Microbiological Parameters (Directive 2009/54/CE)

Definition of terms:  
Results ND(x.x)

ND = Not Detected

(x.x) = test method detection limit

**DISCLAIMER:**

THIS IS A DIGITAL COPY ONLY AND  
CANNOT BE USED FOR ANY LEGAL  
PURPOSES.



**Certifications:**

---

ISO/IEC 17025 Cert.251/LE510      ISO 9001:2000 Cert.CS/97/004

---

**Footnote**

Product not evaluated for Colony Count at 22°C and 37°C against the maximum SOQ indicated in Directive 2009/54/EC. The Company is responsible for compliance with applicable regulatory requirements applicable to conducting commerce.

DISCLAIMER:  
THIS IS A DIGITAL COPY ONLY AND  
CANNOT BE USED FOR ANY LEGAL  
PURPOSES.